

DBMaker/DBMaster FAQ Document

Question:

How to set system file object extension name in PHP via PDO ODBC? (DBMR3280)

Answer:

Without loading file

```
$DB = new PDO('odbc:mydb', 'sysadm', '');

$filePath = '/tmp/demo.html';
$id = 1;

$stmt = $DB->prepare("update demo set f = ? where id = ?");
if ($stmt == false) {
    var_dump($DB->errorInfo());
}

$result = $DB->exec("SET EXTNAME TO 'html'");
echo "affected $result rows\n";

$result = $DB->exec("SET INPUT PARAM 1 AS CFILE");
echo "affected $result rows\n";

$stmt->bindParam(1, $filePath);
$stmt->bindParam(2, $id);
```

DBMaker/DBMaster FAQ Document

```
$result = $sth->execute();

if ($result == false) {

    var_dump($DB->errorInfo());

}
```

With loading file

```
$DB = new PDO('odbc:mydb', 'sysadm', '');

$filePath = '/tmp/demo.html';

$id = 1;

$DB = new PDO('odbc:mydb', 'sysadm', '');

$filePath = '/tmp/demo.html';

$id = 1;

$stmt = $DB->prepare("update demo set f = ? where id = ?");

if ($stmt == false) {

    var_dump($DB->errorInfo());

}

$result = $DB->exec("SET EXTNAME TO 'html'");

echo "affected $result rows\n";
```

DBMaker/DBMaster FAQ Document

```
$result = $DB->exec("SET INPUT PARAM 1 AS CFILE");

echo "affected $result rows\n";

$sth->bindParam(1, $filePath);

$sth->bindParam(2, $id);

$result = $sth->execute();

if ($result == false) {

    var_dump($DB->errorInfo());

}
```